-	POPULATION ESTIMATES	LONG-TERM (CARE	LOCAL HEALTH DEPARTM				
				Per				
	Total 2003 Population 235, 4	Community Options and	MA Wai ver	Cha CC and ETF Name	10, 000			
	Denulation non agreeme mile	as HSRS reports costs	Tor services	Staffing - FTE Number	Popul at i on			
	Population per square mile		costs	10tal Stall 40.5	2.0			
	County ranking in state (1-72)	Clients COP 87	60515 62 410 540	Dublic health purses 12.2	0.4			
	Age Female Male Tot	MA Waiyor *	\$2,410,349	Other prof staff 15.1	0.0			
	0-14 23, 840 25, 040 48, 8		\$2 256 975	Technical /Parancof 3.0	0.0			
	15-19 8, 510 8, 640 17, 1	CIP1B 45	γ \$11 095 907	Total staff 46.5 Administrative 9.6 Public health nurses 13.3 Other prof. staff 15.1 Technical /Paraprof. 3.0 Support staff 5.5	0.1			
	20-24 9,090 9,370 18,4) CIP2 83	\$1,631,149	Support Starr	0. 2			
	25-29 7, 660 8, 490 16, 1	O COP-W 484	\$6,776,515	Fundi ng Total \$2, 973, 937 Local Taxes \$1, 946, 558	Per capi ta			
	30-34 8, 120 8, 930 17, 0	CSLA (\$0	Total \$2, 973, 937	\$12. 67			
	35-39 8, 980 9, 570 18, 5) Brain Injury 6	\$339, 883	Local Taxes \$1,946,558	\$8. 30			
	40-44 9, 910 10, 200 20, 1) Total COP/Wvrs	\$22, 100, 429					
	45-54 16, 810 17, 010 33, 8	,		LI CENSED ESTABLI SHMENTS				
	55-64 10, 280 9, 850 20, 1		ove wai ver costs					
	65-74 6, 740 5, 690 12, 4	were paid as local ma	itch/overmatch	Type Capacity	Facilities			
	75-84 5, 420 3, 520 8, 9	using COP funds. Thi	s amount is	Bed & Breakfast 11	3			
	85+ 2,730 1,060 3,7		e COP costs.	Camps 3/8	5			
	Total 118, 100 117, 370 235, 4	* Waiver costs report	od boro	Hotels, Motels 3,513	49			
	Age Female Male Tot	* Wai ver costs report include federal fund	.ea nere li na	Type Capacity Bed & Breakfast 11 Camps 378 Hotels, Motels 3,513 Tourist Rooming 0 Pools	126			
	0-17 28, 940 30, 190 59, 1		ii rig.	Restaurants	1 076			
	18-44 47, 170 50, 050 97, 2	Clients	s Costs	Vendi ng	1, 0, 0			
	45-64 27,090 26,860 53,9) Fligible and	00313	Verialities	13			
	45-64 27, 090 26, 860 53, 9 65+ 14, 890 10, 270 25, 1		n/a					
	Total 118, 100 117, 370 235, 4)						
		(Family Care not provi	ded in county)	WIC PARTICIPANTS				
	Poverty Estimates for 2000		3,					
	Estimate (C.I.+/				Number			
	All ages 15, 643	B Note: Eligible and wai	ting clients	Pregnant/Postpartum	2, 714			
	6.9% (4%	will be phased into		Infants	2, 765			
	Ages 0-17 4, 8/3	Waivers as available) .	Pregnant/Postpartum Infants Children, age 1-4 Total	3, 757			
	All ages 15, 643 6 6. 9% (49 Ages 0-17 4, 873 3 8. 2% (69			ιοται	9, 236			
	EMPLOYMENT			CANCER INCIDENCE (20	2027			
	Average wage for jobs covered	Home Health Agencies Patients Patients per 10,000 p	7	Primary Site	002)			
	by unemployment compensation \$34,4	Patients	3 376	Breast	173			
	(place of work)	Patients ner 10 000 r	143	Cervi cal	6			
	Δnnı	I		Colorectal	128			
	Labor Force Estimates Avera	Nursing Homes	14	Lung and Bronchus	116			
		licensed heds	1, 373	Prostate	168			
	Civilian Labor Force 136, 9	Occupancy rate	85. 9 %	Other sites	463			
	Number empl oyed 129, 8	5 Residents on Dec.31	1, 171	Total	1, 054			
	Number unemployed 7,1	Residents age 65 or o	ol der					
	Civilian Labor Force 136,9 Number employed 129,8 Number unemployed 7,1 Unemployment rate	per 1,000 population	n 43	Note: Totals shown are for				
				i nvasi ve cancers only.				
-								

				NATA	IITY					
TOTAL LIVE BIRTHS		3, 364	Birth Or	der	Bi rths	Percent	Marital S of Mother		Bi rths	Percent
Crude Live Birth Rate	ż	14. 3	Second	d n or higher vn	1, 119	33	Marri ed		2, 393	71
General Fertility Rat	te	64. 4	Thi rd	•	537	16	Not marr	i ed	969	29
			Fourth	or higher	355	11	Unknown		2	<. 5
Live births with repo	orted		Unknov	<i>ı</i> n	0	0				
congenital anomalies	3	1.0%					Educati on			
		_				_	of Mother		Bi rths	Percent
Delivery Type	Bi rths	Percent		natal Visit		Percent	El ementa	ry or les	s 165	5
Vagi nal after	47	1	ist tr	imester	2, 830	84	Some nig	h school	422	13
previous cesarean	40	 	200 11	imester	424	13	High Sch	ool I ege	927	28 24
Othor yadinal	2 601	77	No vis	ri mester ri mester si ts vn	04 25	<u> </u>	Collogo	graduate	1 027	31
Pri mary cesarean	2, 001 452	13	Unknow	in is	1	- 5	Unknown	gi adda te	1, 027	<. 5
previous cesarean Forceps Other vaginal Primary cesarean Repeat cesarean	222	7	OHINHOV	VI I	•	\. 0	OTIKTIOWIT		7	\. 5
I			Prenatal	Vi si ts	Bi rths	Percent	Smoking S	tatus		
Birthweight <1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	Bi rths	Percent	No vis		25	1	of Mother		Bi rths	Percent
<1,500 gm	45	1. 3	1-4		69	2	Smoker		466	14
1,500-2,499 gm	200	5. 9	5-9		617	18	Nonsmoke	r	2, 896	86
2,500+ gm	3, 118	92. <u>7</u>	10-12	vn	1, 499	45	Unknown		2	<. 5
Unknown	1	<. 5	13+		1, 151	34				
			UNKNOV	/n	3	<. 5				
			Low Birth	wei aht		Tri mest	er of First	Prenatal	Visit	
			Low Birth (under 2.	nweight 500 am)	1st Tr	imester	er of First. 2nd Trim		Visit Other/	'Unknown
Race/Ethni ci ty	Births P	Percent	(under 2,	500 gm)	1st Tr Births	imester	2nd Trim	ester	Other/	'Unknown Percent
Race/Ethni ci ty Whi te	Births P 2,654	Percent 79	(under 2,	500 gm)	Bi rths 2, 395	imester Percent 90	2nd Trim Births P 208	ester ercent 8	Other/ Births 51	Percent 2
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can	Births F 2,654 54	Percent 79 2	(under 2,	500 gm)	Bi rths 2, 395 39	imester Percent 90	2nd Trim Births P 208	ester ercent 8	Other/ Births 51	Percent 2 6
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an	Births F 2,654 54 156	Percent 79 2 5	(under 2,	500 gm)	Bi rths 2, 395 39 105	imester Percent 90 72 67	2nd Trim Births P 208 12	ester ercent 8	Other/ Bi rths 51 3 8	Percent 2 6 5
Race/Ethnicity White Black/Afr. American American Indian Hispanic/Latino	Bi rths P 2,654 54 156 349	Percent 79 2 5 10	(under 2,	500 gm)	Bi rths 2, 395 39 105 209	imester Percent 90 72 67	2nd Trim Births P 208 12	ester ercent 8	0ther/ Bi rths 51 3 8 36	Percent 2 6 5 10
Race/Ethnicity White Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong	Bi rths P 2, 654 54 156 349 113	Percent 79 2 5 10 3	(under 2,	500 gm)	Bi rths 2, 395 39 105 209 55	i mester Percent 90 72 67 60 49	2nd Trim Births P 208 12 43 104 51	ester Percent 8 22 28 30 45	0ther/ Bi rths 51 3 8 36 7	Percent 2 6 5 10 6
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	Births F 2,654 54 156 349 113 38	Percent 79 2 5 10 3	(under 2,	500 gm)	Bi rths 2, 395 39 105 209	imester Percent 90 72 67	2nd Trim Births P 208 12	ester ercent 8	0ther/ Bi rths 51 3 8 36	Percent 2 6 5 10
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	Bi rths F 2, 654 54 156 349 113 38	Percent 79 2 5 10 3 1	(under 2, Births F 194 3 10 25 8 5	500 gm) Percent 7.3 5.6 6.4 7.2 7.1 13.2	Bi rths 2, 395 39 105 209 55 27	i mester Percent 90 72 67 60 49 71	2nd Trim Births P 208 12 43 104 51 6	ester ercent 8 22 28 30 45 16	0ther/ Bi rths 51 3 8 36 7 5	Percent 2 6 5 10 6
Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	54 156 349 113 38 	2 5 10 3 1	(under 2, Births F 194 3 10 25 8 5 Low Birth (under 2,	500 gm) Percent 7.3 5.6 6.4 7.2 7.1 13.2	Bi rths 2, 395 39 105 209 55 27	i mester Percent 90 72 67 60 49 71 Tri mest	2nd Trim Births P 208 12 43 104 51 6 	ester ercent 8 22 28 30 45 16 	0ther/Births 51 3 8 36 7 5	Percent 2 6 5 10 6
Race/Ethni ci ty Whi te Bl ack/Afr. Ameri can Ameri can Indi an Hi spani c/Lati no Laoti an/Hmong Other/Unknown	54 156 349 113 38 	2 5 10 3 1 ertility Rate	(under 2, Births F 194 3 10 25 8 5 Low Birth (under 2, Births F	500 gm) Percent 7.3 5.6 6.4 7.2 7.1 13.2 nwei ght 500 gm) Percent	Bi rths 2, 395 39 105 209 55 27 1st Tr Bi rths	imester Percent 90 72 67 60 49 71 Trimest imester Percent	2nd Trim Births P 208 12 43 104 51 6 cer of First 2nd Trim Births P	ester ercent 8 22 28 30 45 16 Prenatal ester ercent	0ther/Births 51 3 8 36 7 5	Percent 2 6 5 10 6 13
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15	54 156 349 113 38 Fe Bi rths	2 5 10 3 1 ertility Rate	(under 2, Births F 194 3 10 25 8 5 Low Birth (under 2, Births F	500 gm) Percent 7.3 5.6 6.4 7.2 7.1 13.2	Bi rths 2, 395 39 105 209 55 27 1st Tr Bi rths 6	i mester Percent 90 72 67 60 49 71 Tri mest i mester Percent 86	2nd Trim Births P 208 12 43 104 51 6 cer of First 2nd Trim Births P	ester ercent 8 22 28 30 45 16 Prenatal ester ercent 14	Other/Births 51 3 8 36 7 5 Visit Other/Births	Percent 2 6 5 10 6 13 Unknown Percent .
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17	54 156 349 113 38 Fe Bi rths 7 91	2 5 10 3 1 	(under 2, Births F 194 3 10 25 8 5 Low Birth (under 2, Births F 2 8	500 gm) Percent 7. 3 5. 6 6. 4 7. 2 7. 1 13. 2 nwei ght 500 gm) Percent 28. 6 8. 8	Bi rths 2, 395 39 105 209 55 27 1st Tr Bi rths 6 53	i mester Percent 90 72 67 60 49 71 Tri mest i mester Percent 86 58	2nd Trim Births P 208 12 43 104 51 6 ter of First 2nd Trim Births P 1 29	ester ercent 8 22 28 30 45 16 Prenatal ester ercent 14 32	0ther/Births 51 3 8 36 7 5	Percent 2 6 5 10 6 13 Unknown Percent . 10
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19	54 156 349 113 38 	2 5 10 3 1 	(under 2, Births F 194 3 10 25 8 5 Low Birth (under 2, Births F 2 8	500 gm) Percent 7. 3 5. 6 6. 4 7. 2 7. 1 13. 2 nwei ght 500 gm) Percent 28. 6 8. 8 5. 4	Bi rths 2, 395 39 105 209 55 27 1st Tr Bi rths 6 53 136	i mester Percent 90 72 67 60 49 71 Tri mest i mester Percent 86 58 67	2nd Trim Births P 208 12 43 104 51 6 ter of First 2nd Trim Births P 1 29 54	ester ercent 8 22 28 30 45 16 Prenatal ester ercent 14 32 27	0ther/Births 51 3 8 36 7 5 5	Percent 2 6 5 10 6 13 Unknown Percent . 10 6
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24	54 156 349 113 38 	2 5 10 3 1 	(under 2, Births F 194 3 10 25 8 5 	500 gm) Percent 7. 3 5. 6 6. 4 7. 2 7. 1 13. 2	Bi rths 2, 395 39 105 209 55 27 1st Tr Bi rths 6 53 136 541	i mester Percent 90 72 67 60 49 71 Tri mest i mester Percent 86 58 67 75	2nd Trim Births P 208 12 43 104 51 6 er of First 2nd Trim Births P 1 29 54	ester ercent 8 22 28 30 45 16 Prenatal ester ercent 14 32 27 19	Other/Births 51 3 8 36 7 5 5	Percent 2 6 5 10 6 13 Unknown Percent . 10 6 6 6
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29	54 156 349 113 38 	2 5 10 3 1 	(under 2, Births F 194 3 10 25 8 5 	500 gm) Percent 7.3 5.6 6.4 7.2 7.1 13.2 Nei ght 500 gm) Percent 28.6 8.8 5.4 5.7 9.5	Bi rths 2, 395 39 105 209 55 27 1st Tr Bi rths 6 53 136 541 859	i mester Percent 90 72 67 60 49 71 Tri mest i mester Percent 86 58 67 75 88	2nd Trim Births P 208 12 43 104 51 6 er of First 2nd Trim Births P 1 29 54 137 99	ester ercent 8 22 28 30 45 16 Prenatal ester ercent 14 32 27 19 10	Other/Births 51 3 8 36 7 5 Visit Other/Births 9 12 43 23	Percent 2 6 5 10 6 13 Unknown Percent . 10 6 6 6
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34	54 156 349 113 38 	2 5 10 3 1 	(under 2, Births F 194 3 10 25 8 5 	500 gm) Percent 7. 3 5. 6 6. 4 7. 2 7. 1 13. 2 Percent 500 gm) Percent 28. 6 8. 8 5. 4 5. 7 9. 5 6. 0	Bi rths 2, 395 39 105 209 55 27 1st Tr Bi rths 6 53 136 541 859 869	i mester Percent 90 72 67 60 49 71 Tri mest i mester Percent 86 58 67 75 88 92	2nd Trim Births P 208 12 43 104 51 6 er of First 2nd Trim Births P 1 29 54 137 99 66	ester ercent 8 22 28 30 45 16 Prenatal ester ercent 14 32 27 19 10 7	Other/Births 51 3 8 36 7 5 Visit Other/Births 9 12 43 23 12	Percent 2 6 5 10 6 13 Unknown Percent . 10 6 6 2 1
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	54 156 349 113 38 	2 5 10 3 1 	(under 2, Births F 194 3 10 25 8 5 	500 gm) Percent 7. 3 5. 6 6. 4 7. 2 7. 1 13. 2	Bi rths 2, 395 39 105 209 55 27 1st Tr Bi rths 6 53 136 541 859 869 316	i mester Percent 90 72 67 60 49 71 Tri mest i mester Percent 86 58 67 75 88 92 90	2nd Trim Births P 208 12 43 104 51 6 cer of First 2nd Trim Births P 1 29 54 137 99 66 29	ester ercent 8 22 28 30 45 16 Prenatal ester ercent 14 32 27 19 10 7 8	Other/Births 51 3 8 36 7 5 Visit Other/Births 9 12 43 23 12 6	Percent 2 6 5 10 6 13 Unknown Percent . 10 6 6 2 1
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39 40+	54 156 349 113 38 	2 5 10 3 1 	(under 2, Births F 194 3 10 25 8 5 	500 gm) Percent 7. 3 5. 6 6. 4 7. 2 7. 1 13. 2 Percent 500 gm) Percent 28. 6 8. 8 5. 4 5. 7 9. 5 6. 0	Bi rths 2, 395 39 105 209 55 27 1st Tr Bi rths 6 53 136 541 859 869	i mester Percent 90 72 67 60 49 71 Tri mest i mester Percent 86 58 67 75 88 92	2nd Trim Births P 208 12 43 104 51 6 er of First 2nd Trim Births P 1 29 54 137 99 66	ester ercent 8 22 28 30 45 16 Prenatal ester ercent 14 32 27 19 10 7	Other/Births 51 3 8 36 7 5 Visit Other/Births 9 12 43 23 12	Percent 2 6 5 10 6 13 Unknown Percent . 10 6 6 6
Black/Afr. American American Indian Hispanic/Latino Laotian/Hmong Other/Unknown Age of Mother <15 15-17 18-19 20-24 25-29 30-34 35-39	54 156 349 113 38 	2 5 10 3 1 	(under 2, Bi rths F 194 3 10 25 8 5 	500 gm) Percent 7. 3 5. 6 6. 4 7. 2 7. 1 13. 2	Bi rths 2, 395 39 105 209 55 27 1st Tr Bi rths 6 53 136 541 859 869 316 49	i mester Percent 90 72 67 60 49 71 Tri mest i mester Percent 86 58 67 75 88 92 90	2nd Trim Births P 208 12 43 104 51 6 er of First 2nd Trim Births P 1 29 54 137 99 66 29 9	ester ercent 8 22 28 30 45 16 Prenatal ester ercent 14 32 27 19 10 7 8	Other/Births 51 3 8 36 7 5 Visit Other/Births 9 12 43 23 12 6 3	Percent 2 6 5 10 6 13 Unknown Percent . 10 6 6 2 1

MORBI DI TY			MOI	RTALLTY				
REPORTED CASES OF SELECTED DISEASES*	Note: Death rates (except infant) are per 100,000 population. Infant, neonatal, and postneonatal death rates are per 1,000 live births. Perinatal and fetal death rates are per 1,000 live births plus fetal deaths. Rates are not calculated for fewer than 20 deaths.							
Di sease Number Campyl obacter Enteritis 43 Gi ardi asis 17 Hepatitis Type A <5	TOTAL DEATHS Crude Death Ra	te		Selected Underlying Cause Deaths Rate Heart Disease (total) 473 201 Ischemic heart disease 320 136				
Hepatitis Type B** 17 Hepatitis NANB/C 69 Legionnaire's 0 Lyme <5	Age 1-4 5-14 15-19	Deaths 5 4 7	Rate	Cancer (total) Trachea/Bronchus/Lunç Col orectal Femal e Breast	37 16 21 18*			
Méasles 14 Meningitis, Aseptic <5 Meningitis, Bacterial <5 Mumps 0	20-34 35-54 55-64 65-74	47 163 122 236	91 225 606 1, 899	Cerebrovascular Disease Lower Resp. Disease Pneumonia & Influenza Accidents	67 28 28 12 82 35			
Pertussis 0 Sal monel losis 42 Shi gel losis 0 Tubercul osis 0	75-84 85+	434 525	4, 853 13, 843	Motor vehicle Diabetes Infect./Parasitic Dis. Suicide	36 15			
 * 2003 provisional data. ** Includes all positive HBsAg test results. 	Total Infant Neonatal Postneonatal		Rate 6.5	* Based on female popu ALCOHOL AND DRUG ABUSE OR CONTRIBUTING CAU	E AS UNDERLYING			
Sexually Transmitted Disease Chlamydia Trachomatis 661 Genital Herpes 127 Gonorrhea 180 Syphilis 6	Unknown Race of Mother White Black	15 1	· ·	Alcohol Other Drugs Both Mentioned * Includes tobacco use	21 9 234* 99 13 . e (see page 7).			
I MMUNI ZATI ONS	Laoʻti an/Hmong Other/Unknown Bi rthwei ght	2		Note: These data are by of crash, not of	pased on Location			
Children in Grades K-12 by Compliance Level Compliant 42,853 Non-compliant 999 Percent Compliant 97.7	<1,500 gm 1,500-2,499 gm 2,500+ gm Unknown	14 3 5	: : :	Type of Motor Vehicle Crash Total Crashes Alcohol-Related	Persons Persons Injured Killed 2,243 28 279 11			
Percent Compilant 97.7	Peri natal Mortal i ty Total Peri natal Neonatal Fetal	Deaths 31 16 15	Rate 9.2	With Citation: For OWI For Speeding Motorcyclist Bicyclist Pedestrian	210 1 140 0 92 3 45 0			

		Per	Average		Charge	TALIZATIONS		Per	Average		Charge
DI SEASE /		1,000	Stay	Average	Per	DI SEASE /		1,000	Stay	Average	Per
AGE GROUP N	lumber	Pop	(Days)	Charge	Capi ta	AGE GROUP	Number	Pop	(Days)	Charge	Capi ta
Injury-Related: A	d I					Al cohol -Rel ated					
Total		8. 4	4. 4		\$144	Total	640	2. 7	2. 8	\$3, 821	\$10
<18	189	3. 2	3. 5	\$15, 816	\$51	18-44	318	3. 3	2. 4	\$2,717	\$9
18-44	545	5. 6	3. 5	\$15, 404	\$86	45-64	264	4. 9	2. 8	\$4, 712	\$23
45-64	445	8. 2	4. 7	\$18, 368	\$152	Pneumonia and I					
65+	802	31. 9	5. 1	\$17, 765	\$566	Total	557	2. 4	4. 5	\$10, 245	\$24
Injury: Hip Fra	icture					<18	116	2. 0	3. 4	\$6, 772	\$13
Total	224	1. 0	5. 3	\$18, 854	\$18	45-64	89	1.6		\$11,619	\$19
65+	201	8. 0	5. 2	\$18, 639	\$149	65+	293	11. 6	5. 1	\$11,072	\$129
Injury: Poisoni	ngs					Cerebrovascul ar					
Total	184	0.8	1. 9	\$7, 115	\$6	Total	602	2. 6	4. 2	\$13,057	\$33
18-44	104	1. 1	1. 8	\$7, 147	\$8	45-64	145	2. 7	4. 4	\$15, 429	\$41
						65+	441	17. 5	4. 2	\$11, 872	\$208
Psychi atri c						Chronic Obstruc	tive Pulm	onary D	i sease		
Ťotal	1, 358	5. 8	7. 1	\$7, 086	\$41	Chroni c Obstruc Total <18 18-44 45-64 65+ Drug-Rel ated	450	1. 9	3. 5	\$7, 052	\$13
<18	393	6. 6	5. 7	\$6, 454	\$43	<18	113	1. 9	2. 8	\$4,629	\$9
18-44	661	6.8	7. 4	\$6, 574	\$45	18-44	51	0. 5	2. 9	\$6,044	\$3
45-64	200	3. 7	7. 1	\$7, 531	\$28	45-64	99	1. 8	3. 5	\$7, 051	\$13
65+	104	4. 1	10. 4	\$11, 870	\$49	65+	187	7. 4	4. 1	\$8, 791	\$65
						Drug-Rel ated					
Coronary Heart Di	sease					l lotal	98	0. 4	9. 3	\$7, 929	\$3
Total	933	4. 0	4. 0	\$25, 270	\$100	18-44	40	0.4	5.8	\$5, 495	\$2
45-64	348	6. 5	3. 7	\$28, 447	\$184						
65+	540	21. 5	4. 3	\$23, 486	\$504	Total Hospitali	zati ons				
						l Total ·	25 205	107.0	3. 9	\$10, 429	\$1, 116
Malignant Neoplas	sms (Car	ncers):	ALI			<18 18-44 45-64 65+	5, 446	92. 1	3. 3	\$5, 128	\$472
Total	9 <u>2</u> 2	3. 9	5. 7	\$19, 629	\$77	18-44	7, 467	76.8	3. 2	\$7, 667	\$589
18-44	106	1. 1	4. 8	\$19, 849	\$22	45-64	4, 812	89. 2	4. 2	\$14,827	\$1,323
45-64	346	6. 4	5. 1	\$19, 746	\$127	65+	7, 480	297. 3	4. 9	\$14, 217	\$4, 226
65+	455	18. 1	6. 3	\$18, 513	\$335						
Neoplasms: Fema	ile Brea	ast (ra	tes for	female po	pul ati on)	PR					
Total	53	0. 4	2. 4	\$11, 303 [°]	' \$5 ´	Total	2, 521	10. 7	3.8	\$8, 529	\$91
Neoplasms: Colo	-rectal					<18	133	7. 3	2. 8	\$5, 610	\$41
Total	117	0. 5		\$24, 721	\$12	18-44 45-64 65+	372	3.8	3. 2	\$8, 607	\$33
65+	74	2. 9	8. 9	\$24, 734	\$73	45-64	445	8. 2	3. 9	\$9, 715	\$80
Neoplasms: Lunc	I				·	65+	1, 271	50. 5	4. 4	\$9, 086	\$459
Total	107	0. 5	5. 9	\$19, 395	\$9		•				
Di abetes						 * Hospitalizations	for cond	itions	where t	imelv and	effecti v
Total	272	1. 2	5 1	\$12, 738	\$15	ambulatory care ca	n reduce	the lik	el i hood	of hosni	talizatio
65+	91	3. 6	6. 1	\$13, 905	\$50					c. 1.00pi	
		0. 0	J. 1	+ . 0, , 00	+						